



**01**  
MAIN CATALOGUE

# Power distribution boxes

ELECTRIC SOLUTIONS

V0625

# Contents

## Introduction

|              |   |
|--------------|---|
| Introduction | 3 |
|--------------|---|

## Hard rubber power distributors

|           |       |
|-----------|-------|
| Type 1400 | 4     |
| Type 1600 | 5     |
| Type 1616 | 6     |
| Type 2516 | 6     |
| Type 2612 | 7     |
| Type 2700 | 8     |
| Type 2812 | 9     |
| Type 3020 | 10    |
| Type 3800 | 10    |
| Type 3900 | 11    |
| Type 4512 | 12    |
| Type 7200 | 13-14 |
| Type 7250 | 15    |
| Type 7300 | 16-17 |
| Type 7400 | 18-19 |
| Type 7700 | 20-22 |
| Type 7800 | 23    |
| Type 7900 | 23    |

## Suspended distributor

|                                                    |    |
|----------------------------------------------------|----|
| Suspended distributor, plastic                     | 24 |
| Suspended distributor, plastic with compressed air | 24 |

## Dimensions

|                                                    |       |
|----------------------------------------------------|-------|
| Hard rubber power distributors types 1400-7900     | 25-27 |
| Suspended distributor, plastic with compressed air | 27    |

## Frame

|       |    |
|-------|----|
| Frame | 28 |
|-------|----|

## Automated unit protective caps

|                                |    |
|--------------------------------|----|
| Automated unit protective caps | 29 |
|--------------------------------|----|

## Suspension/mounting brackets

|                    |    |
|--------------------|----|
| Aluminium brackets | 30 |
| V4A/V2A brackets   | 30 |

## Residual current device(RCD)

|                               |    |
|-------------------------------|----|
| Assortment Schneider Electric | 31 |
| Assortment ABB                | 31 |
| Assortment Doepke             | 31 |

# Introduction

The GIFAS bestseller: power distributor made out of impact-resistant, age-resistant hard rubber.

You drink a dark brown, fizzy lemonade and automatically call it «coke», right? If you work in the electrical industry and need a socket distributor, you simply call it «GIFAS». You can't get more of a brand than that – we're proud of it!


GIFAS power distributors stand for maximum reliability, safety and efficiency. Whether for industrial applications, commercial buildings or your home: our solutions guarantee a stable and safe power supply. With flexible configuration options, our switchgear combinations offer the perfect symbiosis of performance and adaptability.

## What characterises our power distributors

- all the advantages of hard rubber\*, for example:
  - temperature, weather, UV and ozone resistant
  - silicone and halogen free
  - good resistance to acids and alkalis
  - high electrical insulation capacity
  - self-extinguishing and flame retardant
  - no condensation
  - high vibration, shock and jarring resistance
- engravable
- large standard range (see following pages), various types available from stock or
- fitting according to your specifications (small and large series production)
- fuse elements protected by transparent, impact-resistant covers
- VA screws embedded in rustproof brass press-in bushes with double anchors
- protection class up to IP65 possible (depending on fitting)
- different enclosure sizes
- versions with and without advanced rain protection roof
- internal, separate mounting channels for direct wall mounting
- various suspension/mounting brackets and different stand versions available
- service-friendly design, many spare parts available

\*GIFAS uses a synthetic polymer SBR rubber as the starting material. The raw material, in the form of granules or strips, is vulcanised under high pressure and at high temperature on our own machines to create the final form of the workpiece. The vulcanisation process transforms the caoutchouc into rubber, which remains elastic and dimensionally stable, is not easily soluble and has very good thermal properties. This vulcanisation process is time-consuming and labour-intensive, but the excellent properties of the product are worth the effort.



- ✓ = from stock, offer subject to prior sale
- further versions on request
- various accessories and spare parts available







# Hard rubber power distributors


## Type 1400




|                     |                                          |
|---------------------|------------------------------------------|
| Item no.            | <b>228701</b> ✓                          |
| Output              | 2×T13                                    |
| Input               | 1×SCG M20 bottom<br>1×blind plug M20 top |
| Max. pre-fuse       | 13A                                      |
| Housing material    | hard rubber                              |
| Protection category | IP55                                     |
| Housing colour      | black                                    |
| Dimensions          | 78×290×65 mm                             |
| Remarks             | without internal mounting channels       |




|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228702</b> ✓                    |
| Output              | 2×T13                              |
| Input               | 1×SCG M20 top                      |
| Max. pre-fuse       | 13A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 78×290×65 mm                       |
| Remarks             | without internal mounting channels |




|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228703</b> ✓                    |
| Output              | 4×T13                              |
| Input               | 1×SCG M20 right                    |
| Max. pre-fuse       | 13A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 290×78×65 mm                       |
| Remarks             | without internal mounting channels |



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>234453</b> ✓                    |
| Output              | 4×T23                              |
| Input               | 1×SCG M20 right                    |
| Max. pre-fuse       | 16A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 290×78×65 mm                       |
| Remarks             | without internal mounting channels |



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228705</b> ✓                    |
| Output              | 3×T13<br>1×T15                     |
| Input               | 1×SCG M20 right                    |
| Max. pre-fuse       | 13A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 290×78×65 mm                       |
| Remarks             | without internal mounting channels |



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228704</b> ✓                    |
| Output              | 2×T23<br>2×T25                     |
| Input               | 1×SCG M20 right                    |
| Max. pre-fuse       | 16A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 290×78×65 mm                       |
| Remarks             | without internal mounting channels |


### Accessories

- 263262** Mounting plate set V2A for distributor type 1400, incl. screws  
**263263** Mounting bracket set V2A for distributor type 1400, incl. screws




# Hard rubber power distributors


## Type 1600



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228706</b> ✓                    |
| Output              | 3 × T13                            |
| Input               | 1 × SCG M20 right                  |
| Max. pre-fuse       | 13 A                               |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 199 × 82 × 62 mm                   |
| Remarks             | without internal mounting channels |



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228708</b> ✓                    |
| Output              | 1 × T23<br>2 × T25                 |
| Input               | 1 × SCG M20 right                  |
| Max. pre-fuse       | 16 A                               |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 199 × 82 × 62 mm                   |
| Remarks             | without internal mounting channels |





|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228707</b> ✓                    |
| Output              | 3 × T23                            |
| Input               | 1 × SCG M20 left                   |
| Max. pre-fuse       | 16 A                               |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 199 × 82 × 62 mm                   |
| Remarks             | without internal mounting channels |

### Accessories



**263264** Mounting bracket set V2A for distributor type 1600, incl. screws

# Hard rubber power distributors



## Type 1616



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228734</b> ✓              |
| Output              | 4×T13                        |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 13A                          |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×160×90 mm                |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228735</b> ✓              |
| Output              | 2×T13<br>2×T15               |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 13A                          |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×160×90 mm                |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228736</b> ✓              |
| Output              | 2×T23<br>2×T25               |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×160×90 mm                |
| Remarks             | 4 internal mounting channels |


## Type 2516



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228737</b> ✓              |
| Output              | 3×T23<br>1×T25<br>1×CEE 16/5 |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 161×251×90 mm                |
| Remarks             | 4 internal mounting channels |



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228738</b> ✓              |
| Output              | 2×T23<br>2×CEE 16/5          |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 161×251×90 mm                |
| Remarks             | 4 internal mounting channels |



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228739</b> ✓              |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5 |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 161×251×90 mm                |
| Remarks             | 4 internal mounting channels |

### Accessories



**263265** Mounting bracket set V2A for distributor type 1616, incl. screws

### Accessories



**263266** Mounting bracket set V2A for distributor type 2516, incl. screws

# Hard rubber power distributors



## Type 2612





|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228709</b> ✓                    |
| Output              | 6×T13                              |
| Input               | 1×SCG M20 top                      |
| Max. pre-fuse       | 13A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 120×261×75.5 mm                    |
| Remarks             | without internal mounting channels |



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228710</b> ✓                    |
| Output              | 6×T25                              |
| Input               | 1×SCG M20 top                      |
| Max. pre-fuse       | 16A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 120×261×75.5 mm                    |
| Remarks             | without internal mounting channels |



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228711</b> ✓                    |
| Output              | 2×T23<br>1×T25<br>1×CEE 16/5       |
| Input               | 1×SCG M20 top                      |
| Max. pre-fuse       | 16A                                |
| Housing material    | hard rubber                        |
| Protection category | IP44                               |
| Housing colour      | black                              |
| Dimensions          | 120×261×75.5 mm                    |
| Remarks             | without internal mounting channels |



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228712</b> ✓                    |
| Output              | 2×T25<br>1×CEE 16/5                |
| Input               | 1×SCG M20 top                      |
| Max. pre-fuse       | 16A                                |
| Housing material    | hard rubber                        |
| Protection category | IP44                               |
| Housing colour      | black                              |
| Dimensions          | 120×261×75.5 mm                    |
| Remarks             | without internal mounting channels |



### Accessories

**263267** Mounting bracket set V2A for distributor type 2612, incl. screws





# Hard rubber power distributors



## Type 2700



|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228731</b> ✓                    |
| Output              | 2×T13                              |
| Input               | 1×SCG M20 bottom                   |
| Max. pre-fuse       | 13A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 111×111×79 mm                      |
| Remarks             | without internal mounting channels |





|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>234826</b>                      |
| Output              | 2×T23                              |
| Input               | 1×SCG M20 top                      |
| Max. pre-fuse       | 16A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 111×111×79 mm                      |
| Remarks             | without internal mounting channels |




|                     |                                    |
|---------------------|------------------------------------|
| Item no.            | <b>228733</b> ✓                    |
| Output              | 2×T25                              |
| Input               | 1×SCG M20 top                      |
| Max. pre-fuse       | 16A                                |
| Housing material    | hard rubber                        |
| Protection category | IP55                               |
| Housing colour      | black                              |
| Dimensions          | 111×111×79 mm                      |
| Remarks             | without internal mounting channels |

# Hard rubber power distributors



## Type 2812




|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228740</b> ✓              |
| Output              | 2×T23<br>2×T25               |
| Input               | 1×SCG M20 bottom             |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 120×269×133 mm               |
| Remarks             | 4 internal mounting channels |




|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228741</b> ✓              |
| Output              | 2×T23<br>2×T25               |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 120×269×133 mm               |
| Remarks             | 4 internal mounting channels |



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228742</b> ✓              |
| Output              | 1×T23<br>1×CEE 16/5          |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 120×269×133 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228743</b> ✓              |
| Output              | 1×T25<br>1×CEE 16/5          |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 120×269×133 mm               |
| Remarks             | 4 internal mounting channels |




|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>033433</b> ✓              |
| Output              | 1×CEE 32/5                   |
| Input               | 1×SCG M32 top                |
| Max. pre-fuse       | 32A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 120×269×133 mm               |
| Remarks             | 4 internal mounting channels |

# Hard rubber power distributors


## Type 3020



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228744</b> ✓              |
| Output              | 2×T23<br>2×T25<br>2×CEE 16/5 |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 202×302×110 mm               |
| Remarks             | 4 internal mounting channels |




|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>057025</b>                |
| Output              | 1×CEE 32/5                   |
| Input               | 1×SCG M32 top                |
| Max. pre-fuse       | 32A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 202×302×110 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>033434</b>                |
| Output              | 1×CEE 63/5                   |
| Input               | 1×SCG M40 top                |
| Max. pre-fuse       | 63A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 202×302×110 mm               |
| Remarks             | 4 internal mounting channels |

## Type 3800





|                     |                                   |
|---------------------|-----------------------------------|
| Item no.            | <b>228802</b> ✓                   |
| Output              | 4×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                     |
| Max. pre-fuse       | 63A                               |
| Housing material    | hard rubber                       |
| Protection category | IP44                              |
| Housing colour      | black                             |
| Dimensions          | 252×362×133 mm                    |
| Remarks             | 4 internal mounting channels      |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | <b>228803</b>                              |
| Output              | 3×T23<br>1×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                              |
| Max. pre-fuse       | 32A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 362×252×133 mm                             |
| Remarks             | 4 internal mounting channels               |

# Hard rubber power distributors

## Type 3900




|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228804                                     |
| Output              | 3×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                              |
| Max. pre-fuse       | 63 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 362×252×173 mm                             |
| Remarks             | with chain suspension 3 m                  |




|                     |                                                          |
|---------------------|----------------------------------------------------------|
| Item no.            | 228806 ✓                                                 |
| Output              | 2×T23<br>1×T25<br>1×CEE 16/5<br>1×CEE 32/5<br>1×CEE 63/5 |
| Input               | 1×SCG M40 top                                            |
| Max. pre-fuse       | 63 A                                                     |
| Housing material    | hard rubber                                              |
| Protection category | IP44                                                     |
| Housing colour      | black                                                    |
| Dimensions          | 252×362×173 mm                                           |
| Remarks             | 4 internal mounting channels                             |

# Hard rubber power distributors


## Type 4512



|                     |                                      |
|---------------------|--------------------------------------|
| Item no.            | <b>040134</b>                        |
| Output              | 1×CEE 16/5                           |
| Input               | 1×SCG M20 top<br>1×SCG M32 bottom    |
| Max. pre-fuse       | 63 A                                 |
| Housing material    | hard rubber                          |
| Protection category | IP65                                 |
| Housing colour      | black                                |
| Dimensions          | 120×454×144 mm                       |
| Remarks             | Mounting options:<br>see accessories |



|                     |                                      |
|---------------------|--------------------------------------|
| Item no.            | <b>228810</b>                        |
| Output              | 1×T13                                |
| Input               | 2×SCG M32 bottom                     |
| Max. pre-fuse       | 63 A                                 |
| Housing material    | hard rubber                          |
| Protection category | IP55                                 |
| Housing colour      | black                                |
| Dimensions          | 120×454×144 mm                       |
| Remarks             | Mounting options:<br>see accessories |



|                     |                                      |
|---------------------|--------------------------------------|
| Item no.            | <b>032456</b>                        |
| Output              | 1×CEE 16/5                           |
| Input               | 1×SCG M16 bottom<br>1×SCG M32 bottom |
| Max. pre-fuse       | 80 A                                 |
| Housing material    | hard rubber                          |
| Protection category | IP65                                 |
| Housing colour      | grau                                 |
| Dimensions          | 120×454×144 mm                       |
| Remarks             | Mounting options:<br>see accessories |



### Accessories/spare parts

- 043283** ✓ Special supports (zinc-plated steel)
- 035198** Concrete base, pre-fabricated as a shaft top section, inner tube Ø300 mm
- 027444** ✓ Covering cap PE 1050×Ø315, inner Ø296 mm
- 040105** ✓ Covering cap PE 800×225, inner Ø210 mm
- 044552** ✓ Filter mat, white, Ø302 mm (as insect protection)
- 021826** ✓ Filter mat, white, Ø214 mm (as insect protection)
- 030871** ✓ V4A strap set, L+R (wall mounting)
- 051653** Mounting plate V4A (wall/tube mounting)
- 052654** Shackle V4A for 53 mm tube (fits mounting plate)
- 052656** ✓ Shackle V4A for 65 mm tube (fits mounting plate)
- 054768** Mast fixing V4A for 60 mm tube (two mast fixing are required per distribution box)
- 052426** Mast fixing V4A for 76 mm tube (two mast fixing are required per distribution box)





# Hard rubber power distributors



## Type 7200





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228767</b> ✓              |
| Output              | 4×T13                        |
| Input               | 1×SCG M20 bottom             |
| Max. pre-fuse       | 40 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228768</b>                |
| Output              | 3×T13<br>1×T15               |
| Input               | 1×SCG M25 bottom             |
| Max. pre-fuse       | 40 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228769</b> ✓              |
| Output              | 2×T13<br>2×T15               |
| Input               | 1×SCG M25 top                |
| Max. pre-fuse       | 80 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228770</b> ✓              |
| Output              | 2×T13<br>2×T15               |
| Input               | 1×SCG M25 bottom             |
| Max. pre-fuse       | 80 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228771</b>                |
| Output              | 4×T23                        |
| Input               | 1×SCG M20 bottom             |
| Max. pre-fuse       | 40 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |




|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228772</b> ✓              |
| Output              | 2×T23<br>2×T25               |
| Input               | 1×SCG M25 top                |
| Max. pre-fuse       | 40 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |

# Hard rubber power distributors

## Type 7200





|                     |                              |
|---------------------|------------------------------|
| Item no.            | 228773 ✓                     |
| Output              | 2×T23<br>2×T25               |
| Input               | 1×SCG M25 bottom             |
| Max. pre-fuse       | 40 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | 040099                       |
| Output              | 1×CEE 32/5                   |
| Input               | 1×SCG M32 top                |
| Max. pre-fuse       | 63 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |

# Hard rubber power distributors


## Type 7250





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228775</b>                |
| Output              | 3×T13<br>1×T15               |
| Input               | 1×SCG M20 bottom             |
| Max. pre-fuse       | 13A                          |
| Housing material    | hard rubber                  |
| Protection category | IP55                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |



|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228774</b> ✓              |
| Output              | 3×T23<br>1×T25<br>1×CEE 16/5 |
| Input               | 1×SCG M20 top                |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228776</b> ✓              |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5 |
| Input               | 1×SCG M20 bottom             |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |




|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228777</b> ✓              |
| Output              | 2×T23<br>2×CEE 16/5          |
| Input               | 1×SCG M20 bottom             |
| Max. pre-fuse       | 16A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 160×280×132 mm               |
| Remarks             | 4 internal mounting channels |

# Hard rubber power distributors



## Type 7300





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228778</b> ✓              |
| Output              | 2×T23<br>1×T25<br>2×CEE 16/5 |
| Input               | 1×SCG M25 top                |
| Max. pre-fuse       | 63A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 200×350×134 mm               |
| Remarks             | 4 internal mounting channels |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228779</b> ✓              |
| Output              | 2×T23<br>1×T25<br>2×CEE 16/5 |
| Input               | 1×SCG M25 bottom             |
| Max. pre-fuse       | 63A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 200×350×134 mm               |
| Remarks             | 4 internal mounting channels |




|                     |                                   |
|---------------------|-----------------------------------|
| Item no.            | <b>228780</b> ✓                   |
| Output              | 3×T23<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                     |
| Max. pre-fuse       | 32A                               |
| Housing material    | hard rubber                       |
| Protection category | IP44                              |
| Housing colour      | black                             |
| Dimensions          | 200×350×134 mm                    |
| Remarks             | 4 internal mounting channels      |



|                     |                                   |
|---------------------|-----------------------------------|
| Item no.            | <b>228781</b> ✓                   |
| Output              | 3×T23<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 bottom                  |
| Max. pre-fuse       | 32A                               |
| Housing material    | hard rubber                       |
| Protection category | IP44                              |
| Housing colour      | black                             |
| Dimensions          | 200×350×134 mm                    |
| Remarks             | 4 internal mounting channels      |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228782</b> ✓              |
| Output              | 2×T23<br>1×T25<br>1×CEE 16/5 |
| Input               | 1×SCG M25 top                |
| Max. pre-fuse       | 40A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 200×350×134 mm               |
| Remarks             | 4 internal mounting channels |




|                     |                              |
|---------------------|------------------------------|
| Item no.            | <b>228783</b> ✓              |
| Output              | 2×T23<br>1×T25<br>1×CEE 16/5 |
| Input               | 1×SCG M25 bottom             |
| Max. pre-fuse       | 40A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 200×350×134 mm               |
| Remarks             | 4 internal mounting channels |

# Hard rubber power distributors

## Type 7300





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228784 ✓                                   |
| Output              | 2×T23<br>1×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                              |
| Max. pre-fuse       | 32 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 200×350×134 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228785 ✓                                   |
| Output              | 2×T23<br>1×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 bottom                           |
| Max. pre-fuse       | 32 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 200×350×134 mm                             |
| Remarks             | 4 internal mounting channels               |

# Hard rubber power distributors



## Type 7400





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228403 ✓                                   |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                              |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228404 ✓                                   |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 bottom                           |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | 228345 ✓                     |
| Output              | 2×T23<br>2×T25<br>2×CEE 16/5 |
| Input               | 1×SCG M32 top                |
| Max. pre-fuse       | 40A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 267×371×133 mm               |
| Remarks             | 4 internal mounting channels |



|                     |                              |
|---------------------|------------------------------|
| Item no.            | 228346 ✓                     |
| Output              | 2×T23<br>2×T25<br>2×CEE 16/5 |
| Input               | 1×SCG M32 bottom             |
| Max. pre-fuse       | 40A                          |
| Housing material    | hard rubber                  |
| Protection category | IP44                         |
| Housing colour      | black                        |
| Dimensions          | 267×371×133 mm               |
| Remarks             | 4 internal mounting channels |



|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228347 ✓                                   |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 2×SCG M32 top                              |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228348 ✓                                   |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 2×SCG M32 bottom                           |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |





# Hard rubber power distributors



## Type 7400





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | <b>228402</b> ✓                            |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                              |
| Max. pre-fuse       | 32 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | <b>228350</b> ✓                            |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 bottom                           |
| Max. pre-fuse       | 32 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |



|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | <b>228351</b> ✓                            |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                              |
| Max. pre-fuse       | 63 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | grau                                       |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | <b>228352</b> ✓                            |
| Output              | 2×T23<br>2×T25<br>1×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 bottom                           |
| Max. pre-fuse       | 63 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | grau                                       |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | <b>228700</b> ✓                            |
| Output              | 4×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 bottom                           |
| Max. pre-fuse       | 63 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | grau                                       |
| Dimensions          | 267×371×133 mm                             |
| Remarks             | 4 internal mounting channels               |

# Hard rubber power distributors



## Type 7700





|                     |                                   |
|---------------------|-----------------------------------|
| Item no.            | 228671 ✓                          |
| Output              | 3×T25<br>3×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M40 top                     |
| Max. pre-fuse       | 63A                               |
| Housing material    | hard rubber                       |
| Protection category | IP44                              |
| Housing colour      | black                             |
| Dimensions          | 336×370×190 mm                    |
| Remarks             | 4 internal mounting channels      |





|                     |                                   |
|---------------------|-----------------------------------|
| Item no.            | 228673 ✓                          |
| Output              | 3×T25<br>3×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M40 bottom                  |
| Max. pre-fuse       | 63A                               |
| Housing material    | hard rubber                       |
| Protection category | IP44                              |
| Housing colour      | black                             |
| Dimensions          | 336×370×190 mm                    |
| Remarks             | 4 internal mounting channels      |





|                     |                                                 |
|---------------------|-------------------------------------------------|
| Item no.            | 228406 ✓                                        |
| Output              | 4×T25<br>2×CEE 16/5<br>1×CEE 32/5<br>1×CEE 63/5 |
| Input               | 1×SCG M40 top                                   |
| Max. pre-fuse       | 63A                                             |
| Housing material    | hard rubber                                     |
| Protection category | IP44                                            |
| Housing colour      | black                                           |
| Dimensions          | 336×370×190 mm                                  |
| Remarks             | 4 internal mounting channels                    |



|                     |                                                 |
|---------------------|-------------------------------------------------|
| Item no.            | 228674 ✓                                        |
| Output              | 4×T25<br>2×CEE 16/5<br>1×CEE 32/5<br>1×CEE 63/5 |
| Input               | 1×SCG M40 bottom                                |
| Max. pre-fuse       | 63A                                             |
| Housing material    | hard rubber                                     |
| Protection category | IP44                                            |
| Housing colour      | black                                           |
| Dimensions          | 336×370×190 mm                                  |
| Remarks             | 4 internal mounting channels                    |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228792 ✓                                   |
| Output              | 2×T23<br>2×T25<br>2×CEE 16/5<br>2×CEE 32/5 |
| Input               | 1×SCG M40 top                              |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228793 ✓                                   |
| Output              | 2×T23<br>2×T25<br>2×CEE 16/5<br>2×CEE 32/5 |
| Input               | 1×SCG M40 bottom                           |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190 mm                             |
| Remarks             | 4 internal mounting channels               |

# Hard rubber power distributors



## Type 7700





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228794 ✓                                   |
| Output              | 3×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 top                              |
| Max. pre-fuse       | 80 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228795 ✓                                   |
| Output              | 3×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M32 bottom                           |
| Max. pre-fuse       | 80 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228796 ✓                                   |
| Output              | 3×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5 |
| Input               | 2×SCG M40 top                              |
| Max. pre-fuse       | 80 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190 mm                             |
| Remarks             | 4 internal mounting channels               |



|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228797 ✓                                   |
| Output              | 3×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5 |
| Input               | 2×SCG M40 bottom                           |
| Max. pre-fuse       | 80 A                                       |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190 mm                             |
| Remarks             | 4 internal mounting channels               |





|                     |                                                          |
|---------------------|----------------------------------------------------------|
| Item no.            | 228799 ✓                                                 |
| Output              | 3×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5<br>1×CEE 63/5 |
| Input               | 2×SCG M40 top                                            |
| Max. pre-fuse       | 63 A                                                     |
| Housing material    | hard rubber                                              |
| Protection category | IP44                                                     |
| Housing colour      | black                                                    |
| Dimensions          | 336×370×190 mm                                           |
| Remarks             | 4 internal mounting channels                             |





|                     |                                                          |
|---------------------|----------------------------------------------------------|
| Item no.            | 228798 ✓                                                 |
| Output              | 3×T23<br>2×T25<br>2×CEE 16/5<br>1×CEE 32/5<br>1×CEE 63/5 |
| Input               | 2×SCG M40 bottom                                         |
| Max. pre-fuse       | 63 A                                                     |
| Housing material    | hard rubber                                              |
| Protection category | IP44                                                     |
| Housing colour      | black                                                    |
| Dimensions          | 336×370×190 mm                                           |
| Remarks             | 4 internal mounting channels                             |

# Hard rubber power distributors

## Type 7700




|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228800 ✓                                   |
| Output              | 2×T23<br>2×T25<br>3×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M40 top                              |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190mm                              |
| Remarks             | 4 internal mounting channels               |



|                     |                                            |
|---------------------|--------------------------------------------|
| Item no.            | 228801 ✓                                   |
| Output              | 2×T23<br>2×T25<br>3×CEE 16/5<br>1×CEE 32/5 |
| Input               | 1×SCG M40 bottom                           |
| Max. pre-fuse       | 63A                                        |
| Housing material    | hard rubber                                |
| Protection category | IP44                                       |
| Housing colour      | black                                      |
| Dimensions          | 336×370×190mm                              |
| Remarks             | 4 internal mounting channels               |


# Hard rubber power distributors

## Type 7800




|                     |                                                 |
|---------------------|-------------------------------------------------|
| Item no.            | 228807 ✓                                        |
| Output              | 2×T25<br>3×CEE 16/5<br>2×CEE 32/5<br>1×CEE 63/5 |
| Input               | 2×SCG M40 top                                   |
| Max. pre-fuse       | 63 A                                            |
| Housing material    | hard rubber                                     |
| Protection category | IP44                                            |
| Housing colour      | black                                           |
| Dimensions          | 362×503×133 mm                                  |
| Remarks             | 4 internal mounting channels                    |

## Type 7900





|                     |                                                          |
|---------------------|----------------------------------------------------------|
| Item no.            | 228808 ✓                                                 |
| Output              | 3×T23<br>3×T25<br>3×CEE 16/5<br>1×CEE 32/5<br>1×CEE 63/5 |
| Input               | 2×SCG M40 top                                            |
| Max. pre-fuse       | 80 A                                                     |
| Housing material    | hard rubber                                              |
| Protection category | IP44                                                     |
| Housing colour      | black                                                    |
| Dimensions          | 362×503×173 mm                                           |
| Remarks             | 4 internal mounting channels                             |





|                     |                              |
|---------------------|------------------------------|
| Item no.            | 228809                       |
| Output              | 4×T23<br>1×T25<br>2×CEE 16/5 |
| Input               | 1×SCG M25 top                |
| Max. pre-fuse       | 63 A                         |
| Housing material    | hard rubber                  |
| Protection category | IP54                         |
| Housing colour      | black                        |
| Dimensions          | 362×503×173 mm               |
| Remarks             | 4 internal mounting channels |

# Suspended distributor, plastic

## Suspended distributor, plastic





|                     |                                                                                                                                                                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Item no.            | <b>227302</b> ✓                                                                                                                                                           |
| Output              | 4×T23                                                                                                                                                                     |
| Input               | 1×SCG M20                                                                                                                                                                 |
| Max. pre-fuse       | 16A                                                                                                                                                                       |
| Housing material    | plastic                                                                                                                                                                   |
| Protection category | IP44                                                                                                                                                                      |
| Housing colour      | yellow/black                                                                                                                                                              |
| Dimensions          | 143×149×143 mm                                                                                                                                                            |
| Remarks             | <ul style="list-style-type: none"> <li>– excl. suspension (e.g. hanging set)</li> <li>– up to six mounting surfaces</li> <li>– for sockets up to max. CEE 32 A</li> </ul> |



|                     |                                                                                                                                                                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Item no.            | <b>227303</b>                                                                                                                                                             |
| Output              | 3×T23<br>1×CEE 16/5                                                                                                                                                       |
| Input               | 1×SCG M20                                                                                                                                                                 |
| Max. pre-fuse       | 16A                                                                                                                                                                       |
| Housing material    | plastic                                                                                                                                                                   |
| Protection category | IP44                                                                                                                                                                      |
| Housing colour      | yellow/black                                                                                                                                                              |
| Dimensions          | 143×149×143 mm                                                                                                                                                            |
| Remarks             | <ul style="list-style-type: none"> <li>– excl. suspension (e.g. hanging set)</li> <li>– up to six mounting surfaces</li> <li>– for sockets up to max. CEE 32 A</li> </ul> |

## Suspended distributor, plastic with compressed air



|                     |                                                                                                                                                                           |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Item no.            | <b>227304</b> ✓                                                                                                                                                           |
| Output              | 4×T13<br>2×compressed air 3/8"                                                                                                                                            |
| Input               | 1×SCG M20<br>1×compressed air 3/8"                                                                                                                                        |
| Max. pre-fuse       | 13A                                                                                                                                                                       |
| Housing material    | plastic                                                                                                                                                                   |
| Protection category | IP44                                                                                                                                                                      |
| Housing colour      | red/black                                                                                                                                                                 |
| Dimensions          | 143×149×143 mm                                                                                                                                                            |
| Remarks             | <ul style="list-style-type: none"> <li>– exlc. suspension (e.g. hanging set)</li> <li>– up to six mounting surfaces</li> <li>– for sockets up to max. CEE 32 A</li> </ul> |

### Accessories/spare parts


**043014** ✓ Link chain V4A rust-free Ø3/26 mm

**043015** ✓ Link chain V4A rust-free with screw connection L = 32 mm (inside), Ø 4 mm


**167265** ✓ Suspension kit steel zinc-plated (L = 300 mm)

# Dimensions


Type 1400




Type 1600




Type 1616




Type 2516




Type 2612




Type 2700



Type 2812




Type 3020






# Dimensions


Type 3800




Type 3900




Type 4512




Type 7200




Type 7250




Type 7300



Type 7400




Type 7700




# Dimensions


Type 7800




Type 7900



Suspended distributor, plastic




Suspended distributor, plastic with compressed air



# Frame




example



|                |                                                                                     |
|----------------|-------------------------------------------------------------------------------------|
| Item no.       | 042111                                                                              |
| Designation    | Frame type KA stainless steel V2A, suitable for GIFAS hard rubber housing type 2516 |
| Overall height | 1'200 mm                                                                            |
| Bottom flange  | 200×200 mm <sup>2</sup>                                                             |
| Remark         | other versions regarding material and dimensions available on request               |




example



|                |                                                                                          |
|----------------|------------------------------------------------------------------------------------------|
| Item no.       | 245216                                                                                   |
| Designation    | Frame type OF st 37 hot-dip galvanised, suitable for GIFAS hard rubber housing type 7400 |
| Overall height | 870 mm                                                                                   |
| Bottom flange  | 250×250 mm <sup>2</sup>                                                                  |
| Remark         | other versions regarding material and dimensions available on request                    |




example



|                |                                                                                     |
|----------------|-------------------------------------------------------------------------------------|
| Item no.       | 043577                                                                              |
| Designation    | Frame type GE stainless steel V4A, suitable for GIFAS hard rubber housing type 7300 |
| Overall height | 700 mm                                                                              |
| Bottom flange  | 200×200 mm <sup>2</sup>                                                             |
| Remark         | other versions regarding material and dimensions available on request               |





example





|                |                                                                                                             |
|----------------|-------------------------------------------------------------------------------------------------------------|
| Item no.       | 244432                                                                                                      |
| Designation    | Frame type OF with pitched roof, St 37 hot-dip galvanised, suitable for GIFAS hard rubber housing type 7800 |
| Overall height | 1'000 mm                                                                                                    |
| Bottom flange  | 300×300 mm <sup>2</sup>                                                                                     |
| Remark         | other versions regarding material and dimensions available on request                                       |


## Automated unit protective caps




|             |                                      |
|-------------|--------------------------------------|
| Item no.    | 011384 ✓                             |
| Designation | Protective cap 2 modules,<br>B 37 mm |
| Remark      | with knurled screw = IP65            |




|             |                                        |
|-------------|----------------------------------------|
| Item no.    | 050109 ✓                               |
| Designation | Protective cap 4.5 modules,<br>B 82 mm |
| Remark      | with knurled screw = IP65              |





|             |                                       |
|-------------|---------------------------------------|
| Item no.    | 011387 ✓                              |
| Designation | Protective cap 9 modules,<br>B 162 mm |
| Remark      | with knurled screw = IP65             |



|             |                                          |
|-------------|------------------------------------------|
| Item no.    | 011388 ✓                                 |
| Designation | Protective cap 10.5 modules,<br>B 195 mm |
| Remark      | with knurled screw = IP65                |



|             |                                        |
|-------------|----------------------------------------|
| Item no.    | 011392 ✓                               |
| Designation | Protective cap 13 modules,<br>B 232 mm |
| Remark      | with knurled screw = IP65              |



|             |                                        |
|-------------|----------------------------------------|
| Item no.    | 043710 ✓                               |
| Designation | Protective cap 17 modules,<br>B 308 mm |
| Remark      | with knurled screw = IP65              |



|             |                        |
|-------------|------------------------|
| Item no.    | 019522 ✓               |
| Designation | Knurled screw M4×20 mm |

# Suspension/mounting brackets

## Aluminium bracket



### Assortment

- 029461** ✓ Aluminium bracket for type 7200, 20×380×5 mm,  
2 units are required per housing
- 029462** ✓ Aluminium bracket for type 7300, 20×420×5 mm,  
2 units are required per housing
- 029466** ✓ Aluminium Lasche zu Type 7400, 30×460×5 mm,  
2 units are required per housing
- 049131** ✓ Aluminium bracket for type 7700, 30×470×5 mm,  
2 units are required per housing
- 050782** ✓ Aluminium bracket for type 7800, 30×600×5 mm,  
2 units are required per housing

## V4A/V2A bracket



### Assortment

- 041180** ✓ Rust-free V4A bracket for type 2812, 15×310×3 mm,  
2 units are required per housing
- 048746** ✓ Rust-free V4A bracket for type 7200, 20×340×3 mm,  
2 units are required per housing
- 046546** ✓ Rust-free V4A bracket for type 7300, 20×410×3 mm,  
2 units are required per housing
- 043431** ✓ Rust-free V4A bracket for type 7400/7700, 20×460×3 mm,  
2 units are required per housing
- 013253** ✓ Rust-free V4A bracket for type 7800, 20×580×3 mm,  
2 units are required per housing

# Residual current device(RCD)

## Assortment Schneider Electric



### Assortment

- 144943** ✓ RCD type A 3N - 40 A/30 mA
- 144944** ✓ RCD type A 3N - 63 A/30 mA
- 013747** ✓ RCD type A 3N - 80 A/30 mA
- 039558** ✓ RCD type A 3N - 63 A/300 mA
- 060043** ✓ RCD type A 3N - 63 A/300 mA, selectively
- 013751** ✓ RCD type A 3N - 125 A/300 mA
- 128749** RCD type B 3N - 40 A/30 mA, AC-DC sensitive
- 104686** RCD type B 3N - 63 A/30 mA, AC-DC sensitive
- 128750** ✓ RCD type B 3N - 63 A/300 mA, AC-DC sensitive
- 115761** ✓ RCD type B 3N - 125 A/300 mA, AC-DC sensitive

## Assortment ABB



### Assortment

- 232228** ✓ RCD type A 3N - 63 A/300 mA
- 232229** ✓ RCD type A 3N - 63 A/300 mA, selectively
- 214154** ✓ RCD type A 3N - 125 A/300 mA
- 031044** ✓ RCD type B 3N - 40 A/30 mA, AC-DC sensitive, short time-delayed
- 165008** ✓ RCD type B 3N - 63 A/30 mA, AC-DC sensitive, short time-delayed
- 165450** ✓ RCD type B 3N - 63 A/300 mA, AC-DC sensitive
- 214155** ✓ RCD type B 3N - 125 A/300 mA, AC-DC sensitive

## Assortment Doepke



### Assortment

- 237393** ✓ RCD type B SK HD 63 A/300 mA 4L
- 237394** ✓ RCD type B SK HD 125 A/300 mA 4L





**THE  
SOLUTION  
PARTNER**

**GIFAS-ELECTRIC GmbH**  
Dietrichstrasse 2  
CH-9424 Rheineck

+41 71 886 44 44  
[info@gifas.ch](mailto:info@gifas.ch)  
[www.gifas.ch](http://www.gifas.ch)